




DSL-5100 SERIES


MULTIFUNCTIONAL REAR LED LAMP




PRODUCT BENEFITS

- Attractive EU design with Dynamic Direction Indicator
- Multivoltage 10-30V
- Robust design with lens fixed to the housing
- Impact resistant lens made of Polycarbonate
- Tail light that stands out due to Glowing Body technology
- IP67 Protection

FUNCTIONS LAYOUT



BLACK VERSION AVAILABILITY



TECHNICAL SPECIFICATIONS

TECHNICAL DATA

Operating Voltage		10 V - 30 V					
Reverse Polarity Protection		Yes					
Light Function & Max. Consumption	Direction Indicator Light	3.8 W					
	Tail Light	2.6 W					
	Stop Light	2 W					
	Fog Light	4.8 W					
	Reverse Light	2 W					
Temperature Range		- 40°C to + 60°C					
Type of Mounting		Fastening Bolts - M8					
Material	Lens	PC (Red + Clear)					
	Housing	ABS + PC (Black)					
Type of Protection		IP67K					
Approvals	ECE	R3	R23	R38	R7	R7	R6
		1A	AR	F1	S1	R1	2a
	EMC	O2	O0	O0	O2	O2	O1
Type of Connection		7-Pin AMP Connector or Cable Output					

CODES OVERVIEW

Variants Ref. No.	Cable	7-Pin AMP	Grey Bezel	Black Bezel
DSL-5100	•		•	
DSL-5101	•		•	
DSL-5102		•	•	
DSL-5103		•	•	
DSL-5100B	•			•
DSL-5101B	•			•
DSL-5102B		•		•
DSL-5103B		•		•

DIMENSIONAL DRAWING

