



DSL-4150F SERIES

MULTIFUNCTION FRONT LED LAMP



PRODUCT BENEFITS


- IP67 Protection
- Various mounting options
- Multi-voltage 10-30V
- Tail light which stands out due to Glowing Body Technology

FUNCTIONS LAYOUT

Front Dir. Indicator Function

Front Position Function

Reflex Reflector



Multiple Mounting Options

Front Mounting

Caps are included

Screws Distance: 90mm



Back Mounting

Extra Housing is included

Screws Distance: 45mm or 53mm or 70mm

Rear Mounting

Extra Bracket is included

Screws Distance: 45mm or 53mm or 70mm



TECHNICAL SPECIFICATIONS

TECHNICAL DATA

Product Number	Series DSL-4150F			
Operating Voltage	10V - 30V			
Reverse Polarity Protection	Yes			
Temperature Range	- 40°C to + 65°C			
Type of Mounting	Screw Mounting			
Material	Lens	PMMA		
	Housing	ABS / PC		
Type of Protection	IP67			
Light Function	Front Position	Direction Indicator	Reflex Reflector	
Emitted Color	White	Amber	White	
Consumption	1,9W	3,5W	—	
Approvals	ECE	R148	R148	R150
		A	1	IB
	EMC	R10-06		
Type of Connection	350mm Cable			

DIMENSIONAL DRAWING

